INDEX TO AUTHORS

A

Almquist, H. J. See KLOSE, ALMQUIST, and MECCHI, 681

Anchel, Marjorie, and **Schoenheimer, Rudolf.** Deuterium as an indicator in the study of intermediary metabolism. XV. Further studies in coprosterol formation. The use of compounds containing labile deuterium for biological experiments, 23

Anderson, R. J., Lothrop, W. C., and **Creighton, M. M.** The chemistry of the lipids of tubercle bacilli. LIII. Studies on the phosphatide of the human tubercle bacillus, 299

Anderson, Thomas F. See HARKINS and ANDERSON, 369

B

Babcock, Sidney H., Jr. See JUKES and BABCOCK, 169

Baker, Zelma, Fazekas, J. F., and **Himwich, Harold E.** Carbohydrate oxidation in normal and diabetic cerebral tissues, 545

Balls, A. K., and **Matlack, M. B.** The enzymic hydrolysis of benzyl stearate and benzyl butyrate, 539

Bischoff, Fritz. Chemical studies on the gonadotropic hormone of pregnant mare serum, 697

Bloch, K., and **Clarke, H. T.** N-Methylcysteine and derivatives, 275

Block, Walter D., and **Lewis, Howard B.** The amino acid content of cow and chimpanzee hair, 561

Bollman, Jesse L. See FLOCK, BOLLMAN, and MANN, 49

—. See FLOCK, BOLLMAN, MANN, and KENDALL, 57

Borek, Ernest, and **Clarke, H. T.** Compounds related to canaline and canavanine, 479

Brand, Erwin, Cahill, George F., and **Kassell, Beatrice.** Cystinuria. VIII. The metabolism of crystalline egg albumin, 415

—. See KASSELL and BRAND, 115, 131, 145, 435

—. See KASSELL, CAHILL, and BRAND, 423

Buchanan, B. F. See WHISTLER and BUCHANAN, 557

Bull, Henry B. Monolayers of denatured egg albumin, 585

— and **Neurath, Hans.** Surface denaturation of egg albumin. A reply, 113

C

Cahill, George F. See BRAND, CAHILL, and KASSELL, 415
—. See KASSELL, CAHILL, and BRAND, 423
Callan, Thomas P. See TOENNIES and CALLAN, 259
Chanutin, Alfred. See HORTENSTINE, CHANUTIN, and LUDEWIG, 455
Chargaff, Erwin. The protamine salts of phosphatides, with remarks on the problem of lipoproteins, 661
—. Studies on the chemistry of blood coagulation. VII. Protamines and blood clotting, 671
—. VIII. Isolation of a lipid inhibitor of blood clotting from the spleen in a case of Niemann-Pick's disease, 677
Christman, Clarence C., and **Levene, P. A.** Proteinogenic alkyl alcamines. II, 709
Clarke, H. T. See BLOCH and CLARKE, 275
—. See BOREK and CLARKE, 479
Craig, Lyman C., Shedlovsky, Theodore, Gould, R. Gordon, Jr., and **Jacobs, Walter A.** The ergot alkaloids. XIV. The positions of the double bond and the carboxyl group in lysergic acid and its isomer. The structure of the alkaloids, 289
—. See JACOBS and CRAIG, 625
Creighton, M. M. See ANDERSON, LOTHROP, and CREIGHTON, 299

D

Deuel, Harry J., Jr., Hallman, Lois F., Murray, Sheila, and **Hilliard, J.** Studies on ketosis. XV. The comparative metabolism of *d*-mannose and *d*-glucose, 79
Drabkin, David L. See SMELO, KERN, and DRABKIN, 461
Dubos, René J. See LAVIN, THOMPSON, and DUBOS, 75
—. See THOMPSON and DUBOS, 65
Dunn, Max S., and **Ross, Frank J.** Quantitative investigations of amino acids and peptides. IV. The solubilities of the amino acids in water-ethyl alcohol mixtures, 309

E

Eckstein, H. C. Sterol metabolism in young white rats. II. The effect of saponifiable lipids and degree of unsaturation of lipids on the sterol metabolism of the white rat, 99
—. III. The effect of high and low fat diets on the sterol balances and sterol content of the hair of young white rats, 107
Edwards, H. T. A simplified estimation of lactate in normal human blood, 571
Elvehjem, C. A. See WOOLLEY, WAISMAN, MICKELSEN, and ELVEHJEM, 715

Eriksson-Quensel, Inga-Britta. See SUMNER, GRALÉN, and ERIKSSON-QUENSEL, 37, 45
Everitt, E. L. See SULLIVAN, MILONE, and EVERITT, 471

F

Fazekas, J. F. See BAKER, FAZEKAS, and HIMWICH, 545
Flock, Eunice, Bollman, Jesse L., and **Mann, Frank C.** The utilization of pyruvic acid by the dog, 49
—, —, —, and **Kendall, Edward C.** The effect of the intravenous injection of glucose and other substances on the concentration of potassium in the serum of the dog, 57
Foster, G. L., Rittenberg, D., and **Schoenheimer, Rudolf.** Deuterium as an indicator in the study of intermediary metabolism. XIV. Biological formation of deuteroamino acids, 13
—. See RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER, 1

G

Garner, R. L. See RODNEY and GARNER, 209
Gavin, Gertrude. See MCHENRY and GAVIN, 653
Glick, David. Studies on the specificity of choline esterase, 729
Goss, M. J. See PHILLIPS and GOSS, 241
Gould, R. Gordon, Jr. See CRAIG, SHEDLOVSKY, GOULD, and JACOBS, 289
Gralén, Nils. See SUMNER and GRALÉN, 33
—. See SUMNER, GRALÉN, and ERIKSSON-QUENSEL, 37, 45
Greenstein, Jesse P. Sulfhydryl groups in proteins. I. Egg albumin in solutions of urea, guanidine, and their derivatives, 501
—, **Klemperer, Friedrich W.,** and **Wyman, Jeffries, Jr.** Studies on the physical chemistry of cystinyl peptides, 515
Gutman, Alexander B. See PALMER, LELAND, and GUTMAN, 615

H

Hallman, Lois F. See DEUEL, HALLMAN, MURRAY, and HILLIARD, 79
Hallstone, V. E. See DEUEL, HALLMAN, MURRAY, and HILLIARD, 79
Harkins, William D., and **Anderson, Thomas F.** Protein monolayers: films of oxidized cytochrome C, 369
Hastings, A. Baird. See KLEMPERER, TRIMBLE, and HASTINGS, 445
Hellerman, Leslie, and **Stock, C. Chester.** Activation of enzymes. V. The specificity of arginase and the non-enzymatic hydrolysis of guanidino compounds. Activating metal ions and liver arginase, 771
—. See STOCK, PERKINS, and HELLERMAN, 753
Hess, W. C. See NEGLIA, HESS, and SULLIVAN, 183

van Heyningen, W. E., Rittenberg, D., and **Schoenheimer, Rudolf.** The preparation of fatty acids containing deuterium, 495

Hilliard, J. See DEUEL, HALLMAN, MURRAY, and HILLIARD, 79

Himwich, Harold E. See BAKER, FAZEKAS, and HIMWICH, 545

Hollander, Franklin. Studies in gastric secretion. VI. A statistical analysis of the neutral chloride-hydrochloric acid relation in gastric juice, 161

Hortenstine, J. C., Chanutin, Alfred, and **Ludewig, Stephan.** Influence of yeast-containing diets on the total fatty acids and cholesterol content of the livers of intact and partially nephrectomized rats, 455

Hunt, Madison. See DU VIGNEAUD and HUNT, 269

J

Jacobs, Walter A., and **Craig, Lyman C.** The veratrine alkaloids. IV. The degradation of cevine methiodide, 625

—. See CRAIG, SHEDLOVSKY, GOULD, and JACOBS, 289

Joseph, Norman R., and **Stadie, William C.** The simultaneous determination of total base and chloride on the same sample of serum by electrodialysis, 795

Jukes, Thomas H., and **Babcock, Sidney H., Jr.** Experiments with a factor promoting growth and preventing paralysis in chicks on a simplified diet, 169

K

Kaplan, A. See WEISS, KAPLAN, and LARSON, 247

Kassell, Beatrice, and **Brand, Erwin.** The determination of methionine, cysteine, and sulfate in proteins after hydrolysis with hydriodic acid, 145

— and —. The distribution of the sulfur in casein, lactalbumin, edestin, and papain, 435

— and —. The photometric determination of cystine, cysteine, ascorbic acid, and related compounds with phosphotungstic acid, 115

— and —. The rate of reaction of sulfhydryl and disulfide compounds with phosphotungstic acid and with sulfite, 131

—, **Cahill, George F.,** and **Brand, Erwin.** Cystinuria. IX. The metabolism of lactalbumin and of reduced lactalbumin, 423

—. See BRAND, CAHILL, and KASSELL, 415

Kendall, Edward C. See FLOCK, BOLLMAN, MANN, and KENDALL, 57

Kern, Franklin M. See SMELO, KERN, and DRABKIN, 461

Keston, Albert S. See RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER, 1

Klemperer, Friedrich W., Trimble, Harry C., and **Hastings, A. Baird.** The uricase of dogs, including the Dalmatian, 445
—. See GREENSTEIN, KLEMPERER, and WYMAN, 515
Klose, A. A., Almquist, H. J., and **Mecchi, E.** Properties of the antihemorrhagic vitamin (vitamin K), 681
Knott, Leslie. See DEUEL, HALLMAN, MURRAY, and HILLIARD, 79
Kremers, Roland E. See SELL and KREMERS, 451
Kuna, Martin. See LEVENE, MEYER, and KUNA, 703

L

Larson, Clarence E. See WEISS, KAPLAN, and LARSON, 247
Lavin, G. I., Thompson, Robert H. S., and **Dubos, René J.** The ultraviolet absorption spectra of fractions isolated from pneumococci, 75
Leavenworth, Charles S. See VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN, 527
Leland, Jessica P. See PALMER, LELAND, and GUTMAN, 615
Levene, P. A., Meyer, G. M., and **Kuna, Martin.** Conversion of uronic acids into corresponding hexoses. VII. Catalytic reduction of methyl ester of hexamethyl methylglycoside of aldobionic acid (of gum arabic) to methylglycoside of hexamethyl 6-glucosidogalactose. Further methylation to methylglycoside of heptamethyl 6-glucosidogalactose, 703
Levene, P. A., and **Tipson, R. Stuart.** Conversion of uronic acids into corresponding hexoses. V. Transformation of the aldobionic acid (from gum arabic) to the corresponding disaccharide, 345
— and —. VI. Configuration of the glycosidic union of the aldobionic acid from gum arabic, 355
—. See CHRISTMAN and LEVENE, 709
Lewis, Howard B. See BLOCK and LEWIS, 561
Link, Karl Paul. See SELL and LINK, 229, 235
Logan, Milan A., and **Taylor, Henry L.** Solubility of bone salt. II. Factors affecting its formation, 377
— and —. III. Partial solution of bone and carbonate-containing calcium phosphate precipitates, 391
Lothrop, W. C. See ANDERSON, LOTHROP, and CREIGHTON, 299
Ludewig, Stephan. See HORTENSTINE, CHANUTIN, and LUDEWIG, 455

M

Mann, Frank C. See FLOCK, BOLLMAN, and MANN, 49
—. See FLOCK, BOLLMAN, MANN, and KENDALL, 57
Manning, P. D. V. See STOKSTAD and MANNING, 687
Marrian, Guy Frederic. See ODELL and MARRIAN, 333

Mathews, A. P. See VILTER, SPIES, and MATHEWS, 85
Matlack, M. B. See BALLS and MATLACK, 539
McHenry, E. W., and **Gavin, Gertrude.** The B vitamins and fat metabolism. I. Effects of thiamine, riboflavin, and rice polish concentrate upon body fat, 653
Mecchi, E. See KLOSE, ALMQUIST, and MECCHI, 681
Meyer, G. M. See LEVENE, MEYER, and KUNA, 703
Mickelsen, Olaf. See WOOLLEY, WAISMAN, MICKELSEN, and ELVEHJEM, 715
Miller, Edgar G., Jr. See STEIN and MILLER, 599
Milone, H. S. See SULLIVAN, MILONE, and EVERITT, 471
Murray, Sheila. See DEUEL, HALLMAN, MURRAY, and HILLIARD, 79

N

Neglia, F. J., Hess, W. C., and **Sullivan, M. X.** The cystine content of acid- and alkali-prepared glutenin, 183
Neurath, Hans. See BULL and NEURATH, 113

O

Odell, Arthur Duston, and **Marrian, Guy Frederic.** Some observations on the constitution of the "pregnanetriol" occurring in the urine of pregnant mares, 333

P

Palmer, Walter W., Leland, Jessica P., and **Gutman, Alexander B.** The microdetermination of thyroxine in the thyroid gland of the newborn, 615
Pappenheimer, Alwin M., Jr. Diphtheria toxin. II. The action of ketene and formaldehyde, 201
Perkins, Marie E. See STOCK, PERKINS, and HELLERMAN, 753
Phillips, Max, and **Goss, M. J.** The chemistry of lignin. XI. Lignin from wheat straw, 241
Pucher, George W. See VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN, 527

R

Randall, Lowell O. Changes in lipid composition of nerves from arteriosclerotic and diabetic subjects, 723
Rittenberg, D., Keston, Albert S., Schoenheimer, Rudolf, and **Foster, G. L.** Deuterium as an indicator in the study of intermediary metabolism. XIII. The stability of hydrogen in amino acids, 1
—. See FOSTER, RITTENBERG, and SCHOENHEIMER, 13
—. See VAN HEYNINGEN, RITTENBERG, and SCHOENHEIMER, 495
Rodney, Gertrude, and **Garner, R. L.** The oxidative deamination of some structurally related aminopropionic acids by

the liver and kidney tissues of the rat, 209
Ross, Frank J. See DUNN and ROSS, 309

S

Schoenheimer, Rudolf. See ANCHEL and SCHOENHEIMER, 23
—. See FOSTER, RITTENBERG, and SCHOENHEIMER, 13
—. See VAN HEYNINGEN, RITTENBERG, and SCHOENHEIMER, 495
—. See RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER, 1
Sell, Harold M., and **Kremers, Roland E.** The synthesis of esters of ursolic acid, 451
— and **Link, Karl Paul.** Derivatives of *d*-galacturonic acid. IV. The preparation of the methyl ester of *d*-galacturonic acid, 229
— and —. V. The synthesis of the methyl esters of cholesterol, sitosterol, and ergosterol triacetyl-*d*-galacturonides, 235
Shedlovsky, Theodore. See CRAIG, SHEDLOVSKY, GOULD, and JACOBS, 289
Smelo, Leon S., Kern, Franklin M., and **Drabkin, David L.** Determination of saccharoids and the relationship of the saccharoid content of the blood to diet and drugs, 461
Smetana, Hans. Studies on photodynamic action. II. The fate of hematoporphyrin after parenteral administration. III. The influence of sensitizer on photooxidation of tissues, 741
Smythe, C. V. The utilization of pyruvic acid by bakers' yeast, 635
Somogyi, Michael. Micromethods for the estimation of diastase, 399
Spies, Tom D. See VILTER, SPIES, and MATHEWS, 85
Stadie, William C. See JOSEPH and STADIE, 795
Stein, William H., and **Miller, Edgar G., Jr.** The composition of elastin, 599
Stock, C. Chester, Perkins, Marie E., and **Hellerman, Leslie.** Activation of enzymes. IV. The jack bean argininolytic enzyme, 753
—. See HELLERMAN and STOCK, 771
Stokstad, E. L. R., and **Manning, P. D. V.** Evidence of a new growth factor required by chicks, 687
Sullivan, M. X., Milone, H. S., and **Everitt, E. L.** A rapid procedure for estimating the tryptophane content of casein, 471
—. See NEGLIA, HESS, and SULLIVAN, 183
Sumner, James B., and **Gralén, Nils.** The molecular weight of crystalline catalase, 33
—, —, and **Eriksson-Quensel, Inga-Britta.** The molecular weight of urease, 37
—, —, and —. The molecular weights of canavalin, concanavalin A, and concanavalin B, 45

T

Tauber, Henry. The carboxylase enzyme system, 191

Taylor, Henry L. See LOGAN and TAYLOR, 377, 391

Thompson, Robert H. S., and Dubos, René J. The isolation of nucleic acid and nucleoprotein fractions from pneumococci, 65

—. See LAVIN, THOMPSON, and DUBOS, 75

Tipson, R. Stuart. The preparation of 3,4,5-trimethyl *l*-galactonic acid, 341

—. See LEVENE and TIPSON, 345, 355

Tischer, A. O. The nature of vitamin A in cod liver oil, 475

Toennies, Gerrit, and Callan, Thomas P. On the perchloric-acetic acid method of amino acid titration, 259

Trimble, Harry C. See KLEMPERER, TRIMBLE, and HASTINGS, 445

V

Vickery, Hubert Bradford, Pucher, George W., Leavenworth, Charles S., and Wakeman, Alfred J. The metabolism of amides in green plants. II. The amides of the rhubarb leaf, 527

du Vigneaud, Vincent, and Hunt, Madison. A preliminary study of β-*l*-aspartyl-*l*-histidine as a possible biological precursor of *l*-carnosine, 269

Vilter, S. P., Spies, Tom D., and Mathews, A. P. A method for the determination of nicotinic acid, nicotinamide, and possibly other pyridine-like substances in human urine, 85

W

Waisman, Harry A. See WOOLLEY, WAISMAN, MICKELSEN, and ELVEHJEM, 715

Wakeman, Alfred J. See VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN, 527

Weiss, Charles, Kaplan, A., and Larson, Clarence E. Studies on inflammation. III. Proteinase and peptidase activity of polymorphonuclear leucocytes, monocytes, and epithelioid cells of pleural inflammatory exudates, 247

Whistler, Roy L., and Buchanan, B. F. Preparation of β-glucose, 557

Woelfel, Warren C. The colorimetric determination of sodium as uranyl manganese sodium acetate, 219

Woolley, D. W., Waisman, Harry A., Mickelsen, Olaf, and Elvehjem, C. A. Some observations on the chick antidermatitis factor, 715

Wyman, Jeffries, Jr. See GREENSTEIN, KLEMPERER, and WYMAN, 515

INDEX TO SUBJECTS

A

Albumin: Egg, crystalline, metabolism, cystinuria (BRAND, CAHILL, and KASSELL) 415

—, denatured, monolayers (BULL) 585

—, solutions, sulfhydryl groups (GREENSTEIN) 501

—, surface denaturation (BULL and NEURATH) 113

Alcamine(s): Alkyl, proteinogenic (CHRISTMAN and LEVENE) 709

Aldobionic acid: Gum arabic, glycosidic union, configuration (LEVENE and TIPSON) 355

— —, hexamethyl methylglycoside methyl ester, catalytic reduction to methylglycoside of hexamethyl 6 - glucosidogalactose (LEVENE, MEYER, and KUNA) 703

— —, transformation to disaccharide (LEVENE and TIPSON) 345

Alkaloid(s): Ergot (CRAIG, SHEDLOVSKY, GOULD, and JACOBS) 289

Veratrine (JACOBS and CRAIG) 625

Alkyl alcamines: Proteinogenic (CHRISTMAN and LEVENE) 709

Amide(s): Rhubarb leaf, metabolism (VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN) 527

Amino acid(s): Deutero-, formation, biological, deuterium as indicator (FOSTER, RITTENBERG, and SCHOENHEIMER) 13

Hair, cow and chimpanzee (BLOCK and LEWIS) 561

Hydrogen stability, deuterium as indicator (RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER) 1

Solubilities, water-ethyl alcohol mixtures (DUNN and ROSS) 309

Titration, perchloric - acetic acid method (TOENNIES and CALLAN) 259

Aminopropionic acid(s): Deamination, oxidative, liver and kidney tissues (RODNEY and GARNER) 209

Antidermatitis: Factor, chick (WOOLLEY, WAISMAN, MICKELSEN, and ELVEHJEM) 715

Antihemorrhage: Vitamin, properties (KLOSE, ALMQUIST, and MECCHI) 681

Arginase: Jack bean (STOCK, PERKINS, and HELLERMAN) 753

Arginase—*continued:*
Liver, activation, metal ions, rôle (HELLERMAN and STOCK) 771
Specificity (HELLERMAN and STOCK) 771
Arteriosclerosis: Nerve lipids, effect (RANDALL) 723
Ascorbic acid: Determination, photometric, phosphotungstic acid use (KASSELL and BRAND) 115
Aspartyl-*l*-histidine: *β*-*l*-, *l*-carnosine precursor (DU VIGNEAUD and HUNT) 269

B

Base: Total, blood serum, determination, electrodialysis (JOSEPH and STADIE) 795
Bean: Jack, arginase (STOCK, PERKINS, and HELLERMAN) 753
Benzyl butyrate: Enzyme hydrolysis (BALLS and MATLACK) 539
Benzyl stearate: Enzyme hydrolysis (BALLS and MATLACK) 539
Blood: Clotting, lipid inhibitor, spleen (CHARGAFF) 677
—, protamines, effect (CHARGAFF) 671
Saccharoids, diet and drugs, relation (SMELO, KERN, and DRABKIN) 461
Blood cell: White, polymorphonuclear, proteinase and peptidase activity, pleural exudates (WEISS, KAPLAN, and LARSON) 247
Blood serum: Base, total, determination, electrodialysis (JOSEPH and STADIE) 795
Pregnancy, gonadotropic hormone (BISCHOFF) 697
Bone: Salt, formation (LOGAN and TAYLOR) 377
—, solubility (LOGAN and TAYLOR) 377, 391
Brain: Carbohydrate oxidation, normal and diabetic (BAKER, FAZEKAS, and HIMWICH) 545

C

Calcium phosphate: Precipitates, carbonate-containing, solubility (LOGAN and TAYLOR) 391
Canaline: -Related compounds (BOREK and CLARKE) 479
Canavalin: Con-, A and B, molecular weight (SUMNER, GRALÉN, and ERIKSSON-QUENSEL) 45
Molecular weight (SUMNER, GRALÉN, and ERIKSSON-QUENSEL) 45
Canavine: -Related compounds (BOREK and CLARKE) 479
Carbohydrate: Oxidation, brain, normal and diabetic (BAKER, FAZEKAS, and HIMWICH) 545
Carboxylase: System (TAUBER) 191
Carnosine: *l*-, *β*-*l*-aspartyl-*l*-histidine, precursor (DU VIGNEAUD and HUNT) 269
Casein: Sulfur distribution (KASSELL and BRAND) 435
Tryptophane determination (SULLIVAN, MILONE, and EVERITT) 471

Catalase: Crystalline, molecular weight (SUMNER and GRALÉN) 33
Cevine methiodide: Degradation (JACOBS and CRAIG) 625
Chick: Antidermatitis factor (WOOLLEY, WAISMAN, MICKELSEN, and ELVEHJEM) 715
Growth factor, new (STOKSTAD and MANNING) 687
Growth - promoting factor (JUKES and BABCOCK) 169
Paralysis - preventing factor (JUKES and BABCOCK) 169
Chloride: Blood serum, determination, electrodialysis (JOSEPH and STADIE) 795
Neutral, gastric juice hydrochloric acid, relation (HOLLANDER) 161
Cholesterol: Liver, yeast-containing diets, nephrectomy, effect (HORTENSTINE, CHANUTIN, and LUDEWIG) 455
Triacetyl - *d* - galacturonide, methyl ester, synthesis (SELL and LINK) 235
Choline: Esterase, specificity (GLICK) 729
Clotting: Blood, protamines, effect (CHARGAFF) 671
—, spleen lipid inhibitor (CHARGAFF) 677
Cod liver oil: Vitamin A, nature (TISCHER) 475
Concanavalin: A, molecular weight (SUMNER, GRALÉN, and ERIKSSON-QUENSEL) 45
B, molecular weight (SUMNER, GRALÉN, and ERIKSSON-QUENSEL) 45
Coprosterol: Formation, deuterium as indicator (ANCHEL and SCHOENHEIMER) 23
Cysteine: Determination, photometric, phosphotungstic acid use (KASSELL and BRAND) 115
N-Methyl-, and derivatives (BLOCH and CLARKE) 275
Proteins, determination (KASSELL and BRAND) 145
Cystine: Determination, photometric, phosphotungstic acid use (KASSELL and BRAND) 115
Glutenin (NEGLIA, HESS, and SULLIVAN) 183
Cystinuria: Egg albumin, crystalline, metabolism (BRAND, CAHILL, and KASSELL) 415
Lactalbumin and reduced lactalbumin, metabolism (KASSELL, CAHILL, and BRAND) 423
Cystinyl peptides: Physical chemistry (GREENSTEIN, KLEMPERER, and WYMAN) 515
Cytochrome: C, oxidized, films (HARKINS and ANDERSON) 369

D

Dermatitis: Anti-, factor, chick (WOOLLEY, WAISMAN, MICKELSEN, and ELVEHJEM) 715
Deuterium: -Containing fatty acids, preparation (VAN HEYNINGEN, RITTENBERG, and SCHOENHEIMER) 495

Deuterium—*continued:*
Coprosterol formation indicator (ANCHEL and SCHOENHEIMER) 23
Labile, compounds containing, metabolism indicators (ANCHEL and SCHOENHEIMER) 23
Metabolism, intermediary, indicator (RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER) 1
(FOSTER, RITTENBERG, and SCHOENHEIMER) 13
Deuteroamino acid(s): Formation, biological, deuterium as indicator (FOSTER, RITTENBERG, and SCHOENHEIMER) 13
Diabetes: Brain carbohydrate oxidation (BAKER, FAZEKAS, and HIMWICH) 545
Nerve lipids, effect (RANDALL) 723
Diastase: Microdetermination (SOMOGYI) 399
Diet: Blood saccharoids, relation (SMELO, KERN, and DRABKIN) 461
Diphtheria: Toxin, formaldehyde action (PAPPENHEIMER) 201
—, ketene action (PAPPENHEIMER) 201
Disulfide compounds: Phosphotungstic acid reaction rate (KASSELL and BRAND) 131
Sulfite reaction rate (KASSELL and BRAND) 131

E

Edestin: Sulfur distribution (KASSELL and BRAND) 435
Egg: Albumin, crystalline, metabolism, cystinuria (BRAND, CAHILL, and KASSELL) 415
—, denatured, monolayers (BULL) 585
— solutions, sulfhydryl groups (GREENSTEIN) 501
—, surface denaturation (BULL and NEURATH) 113
Elastin: Composition (STEIN and MILLER) 599
Enzyme(s): Activation (STOCK, PERKINS, and HELLERMAN) 753
(HELLERMAN and STOCK) 771
Benzyl stearate and benzyl butyrate, hydrolysis (BALLS and MATLACK) 539
See also Arginase, Carboxylase, Catalase, Diastase, Esterase, Papain, Peptidase, Proteinase, Urease, Uricase
Epithelium: Cells, proteinase and peptidase activity, pleural exudates (WEISS, KAPLAN, and LARSON) 247
Ergosterol: Triacetyl-*d*-galacturonide, methyl ester, synthesis (SELL and LINK) 235
Ergot: Alkaloids (CRAIG, SHEDLOVSKY, GOULD, and JACOBS) 289
Esterase: Choline, specificity (GLICK) 729
Exudate: Pleural, cellular proteinase and peptidase activity (WEISS, KAPLAN, and LARSON) 247

F

Fat: Body, thiamine, riboflavin, and rice polish concentrate,

Fat—*continued:*
effect (McHenry and Gavin) 653
Dietary, hair sterol, effect (Eckstein) 107
—, sterol balances, effect (Eckstein) 107
Fatty acid(s): Deuterium-containing, preparation (van Heyningen, Rittenberg, and Schoenheimer) 495
Total, liver, yeast-containing diets, nephrectomy, effect (Hortenstine, Chanutin, and Ludewig) 455
Formaldehyde: Diphtheria toxin, action (Pappenheimer) 201

G

Galactonic acid: *l*-, 3,4,5-trimethyl, preparation (Tipson) 341
Galactose: Heptamethyl 6-glucosido-, methylation (Levene, Meyer, and Kuna) 703
Hexamethyl 6-glucosido-, methylglycoside of, methyl ester of aldobionic acid hexamethyl methylglycoside, relation (Levene, Meyer, and Kuna) 703
Galacturonic acid: *d*-, derivatives (Sell and Link) 235
—, methyl ester, preparation (Sell and Link) 229
Galacturonide(s): Triacetyl-*d*-, cholesterol, sitosterol, and ergosterol methyl esters, synthesis (Sell and Link) 235
Gastric: *See* Stomach
Glucose: β-, preparation (Whistler and Buchanan) 557
Blood serum potassium, injection effect (Flock, Bollman, Mann, and Kendall) 57
d-, metabolism (Deuel, Hallman, Murray, and Hilliard) 79
Glutenin: Cystine (Neglia, Hess, and Sullivan) 183
Glycoside: Hexamethyl methyl-, methyl ester, aldobionic acid, catalytic reduction to methylglycoside of hexamethyl 6-glucosidogalactose (Levene, Meyer, and Kuna) 703
Gonadotropic hormone: Blood serum, pregnancy, chemistry (Bischoff) 697
Growth: Factor, new, chick (Stokstad and Manning) 687
-Promoting factor, chick (Jukes and Babcock) 169
Guanidino compounds: Non-enzymatic hydrolysis (Hellerman and Stock) 771
Gum arabic: Aldobionic acid glycosidic union, configuration (Levene and Tipson) 355
— —, hexamethyl methylglycoside methyl ester, catalytic reduction to methylglycoside of hexamethyl 6-glucosidogalactose (Levene, Meyer, and Kuna) 703
— —, transformation to disaccharide (Levene and Tipson) 345

H

Hair: Amino acids, cow and chimpanzee (Block and Lewis) 561
Sterol, dietary fat, effect (Eckstein) 107
Hematoporphyrin: Fate, parenteral administration (Smetana) 741
Hemorrhage: Anti-, vitamin, properties (Klose, Almquist, and Mecchi) 681
Heptamethyl 6-glucosidogalactose: Methylation (Levene, Meyer, and Kuna) 703
Hexamethyl 6-glucosidogalactose: Methylglycoside of, methyl ester of aldobionic acid hexamethyl methylglycoside, relation (Levene, Meyer, and Kuna) 703
Hexamethyl methylglycoside: Methyl ester, aldobionic acid, catalytic reduction to methylglycoside of hexamethyl 6-glucosidogalactose (Levene, Meyer, and Kuna) 703
Hexose(s): Uronic acids conversion (Levene and Tipson) 345, 355
(Levene, Meyer, and Kuna) 703
Histidine: β-*l*-Aspartyl-*l*-, *l*-carnosine precursor (du Vigneaud and Hunt) 269
Hydriodic acid: Protein hydrolysis (Kassell and Brand) 145
Hydrochloric acid: Gastric juice, chloride, neutral, relation (Hollander) 161
Hydrogen: Stability, amino acids, deuterium as indicator (Rittenberg, Keston, Schoenheimer, and Foster) 1

I

Inflammation: Pleural exudates, cellular proteinase and peptidase activity (Weiss, Kaplan, and Larson) 247

J

Jack bean: *See* Bean

K

Ketene: Diphtheria toxin, action (Pappenheimer) 201
Ketosis: (Deuel, Hallman, Murray, and Hilliard) 79
Kidney: Aminopropionic acid deamination, oxidative (Rodney and Garner) 209
See also Nephrectomy

L

Lactalbumin: Cystinuria, metabolism (Kassell, Cahill, and Brand) 423
Reduced, cystinuria, metabolism (Kassell, Cahill, and Brand) 423
Sulfur distribution (Kassell and Brand) 435
Lactate: Blood, determination (Edwards) 571
Leucocyte: *See* Blood cell, white
Lignin: Wheat straw (Phillips and Goss) 241
Lipid(s): Nerve, arteriosclerosis and diabetes, effect (Randall) 723
Spleen, blood clotting inhibitor (Chargaff) 677

Lipid(s)—*continued:*
Tubercle bacillus (ANDERSON, LOTHROP, and CREIGHTON) 299
Unsaponifiable, sterol metabolism, effect (ECKSTEIN) 99
Unsaturated, sterol metabolism, effect (ECKSTEIN) 99
Lipoprotein(s): Protamine salts, phosphatides, relation (CHARGAFF) 661
Liver: Aminopropionic acid deamination, oxidative (RODNEY and GARNER) 209
Arginase, activation, metal ions, rôle (HELLERMAN and STOCK) 771
Cholesterol, yeast-containing diets, nephrectomy, effect (HORTENSTINE, CHANUTIN, and LUDEWIG) 455
Fatty acids, total, yeast-containing diets, nephrectomy, effect (HORTENSTINE, CHANUTIN, and LUDEWIG) 455
Lung: Inflammatory exudates, cellular proteinase and peptidase activity (WEISS, KAPLAN, and LARSON) 247
Lysergic acid: Isomer, structure (CRAIG, SHEDLOVSKY, GOULD, and JACOBS) 289
Structure (CRAIG, SHEDLOVSKY, GOULD, and JACOBS) 289

M

Mannose: *d-*, metabolism (DEUEL, HALLMAN, MURRAY, and HILLIARD) 79
Metabolism: Amides, green plants (VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN) 527
Fat, B vitamins and (McHENRY and GAVIN) 653
Intermediary, deuterium as indicator (RITTENBERG, KESTON, SCHOENHEIMER, and FOSTER) 1
(FOSTER, RITTENBERG, and SCHOENHEIMER) 13
(ANCHEL and SCHOENHEIMER) 23
Sterol (ECKSTEIN) 99, 107
Metal ions: Liver arginase activation, rôle (HELLERMAN and STOCK) 771
Methionine: Proteins, determination (KASSELL and BRAND) 145
Methylcysteine: N-, and derivatives (BLOCH and CLARKE) 275
Monocyte: Proteinase and peptidase activity, pleural exudates (WEISS, KAPLAN, and LARSON) 247

N

Nephrectomy: Liver total fatty acid and cholesterol, yeast-containing diets, effect (HORTENSTINE, CHANUTIN, and LUDEWIG) 455
Nerve: Lipids, arteriosclerosis and diabetes, effect (RANDALL) 723
New-born: Thyroid thyroxine, microdetermination (PALMER, LELAND, and GUTMAN) 615
Nicotinamide: Urine, determination (VILTER, SPIES, and MATHEWS) 85

Nicotinic acid: Urine, determination (VILTER, SPIES, and MATHEWS) 85
Nucleic acid: Pneumococci, isolation (THOMPSON and DUBOS) 65
Nucleoprotein: Pneumococci, isolation (THOMPSON and DUBOS) 65

O

Oil: Cod liver. *See* Cod liver oil

P

Papain: Sulfur distribution (KASSELL and BRAND) 435
Paralysis: -Preventing factor, chick (JUKES and BABCOCK) 169
Peptidase: Inflammatory exudates, pleural, activity (WEISS, KAPLAN, and LARSON) 247
Peptide(s): (DUNN and ROSS) 309
Cystinyl, physical chemistry (GREENSTEIN, KLEMPERER, and WYMAN) 515
Perchloric-acetic acid: Amino acid titration, use (TOENNIES and CALLAN) 259
Phosphatide(s): Protamine salts, lipoproteins, relation (CHARGAFF) 661
Tubercle bacillus, human (ANDERSON, LOTHROP, and CREIGHTON) 299
Phosphotungstic acid: Ascorbic acid determination, photometric, use (KASSELL and BRAND) 115
Cysteine determination, photometric, use (KASSELL and BRAND) 115
Cystine determination, photometric, use (KASSELL and BRAND) 115
Disulfide compounds, reaction rate (KASSELL and BRAND) 131
Sulfhydryl compounds, reaction rate (KASSELL and BRAND) 131
Photodynamic action: (SMETANA) 741
Plant(s): Green, amides, metabolism (VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN) 527
Pneumococcus: Fractions, ultraviolet absorption spectra (LAVIN, THOMPSON, and DUBOS) 75
Nucleic acid isolation (THOMPSON and DUBOS) 65
Nucleoprotein fractions, isolation (THOMPSON and DUBOS) 65
Potassium: Blood serum, glucose injection effect (FLOCK, BOLLMAN, MANN, and KENDALL) 57
Pregnancy: Blood serum gonadotropic hormone, chemistry (BISCHOFF) 697
Urine pregnanetriol, structure (ODELL and MARRIAN) 333
Pregnanetriol: Urine, pregnancy, structure (ODELL and MARRIAN) 333
Propionic acid(s): Amino-, deamination, oxidative, liver and kidney tissues (RODNEY and GARNER) 209

Protamine(s): Blood clotting, effect (CHARGAFF) 671
Salts, phosphatides, lipoproteins, relation (CHARGAFF) 661
Protein(s): Cysteine determination (KASSELL and BRAND) 145
Lipo-, protamine salts, phosphatides, relation (CHARGAFF) 661
Methionine determination (KASSELL and BRAND) 145
Monolayers (HARKINS and ANDERSON) 369
Sulfate determination (KASSELL and BRAND) 145
Sulfhydryl groups (GREENSTEIN) 501
Proteinase: Inflammatory exudates, pleural, activity (WEISS, KAPLAN, and LARSON) 247
Pyridine: -Like substances, urine, determination (VILTER, SPIES, and MATHEWS) 85
Pyruvic acid: Utilization (FLOCK, BOLLMAN, and MANN) 49
Yeast utilization (SMYTHE) 635

R

Rhubarb: Leaf, amides, metabolism (VICKERY, PUCHER, LEAVENWORTH, and WAKEMAN) 527
Riboflavin: Body fat, effect (McHENRY and GAVIN) 653
Rice: Polish concentrate, body fat, effect (McHENRY and GAVIN) 653

S

Saccharoid(s): Blood, diet and drugs, relation (SMELO, KERN, and DRABKIN) 461
Determination (SMELO, KERN, and DRABKIN) 461
Sitosterol: Triacetyl-*d*-galacturonide, methyl ester, synthesis (SELL and LINK) 235
Sodium: Determination, colorimetric (WOELFEL) 219
Spleen: Lipid, blood clotting inhibitor (CHARGAFF) 677
Sterols: Balance, dietary fat effect (ECKSTEIN) 107
Hair, dietary fat effect (ECKSTEIN) 107
Metabolism, lipids, saponifiable and unsaturated, effect (ECKSTEIN) 99
Stomach: Gastric juice, neutral chloride-hydrochloric acid relation (HOLLANDER) 161
Sulfate(s): Proteins, determination (KASSELL and BRAND) 145
Sulfhydryl compounds: Phosphotungstic acid reaction rate (KASSELL and BRAND) 131
Sulfite reaction rate (KASSELL and BRAND) 131
Sulfhydryl groups: Egg albumin solutions (GREENSTEIN) 501
Sulfite: Disulfide compounds, reaction rate (KASSELL and BRAND) 131
Sulfhydryl compounds, reaction rate (KASSELL and BRAND) 131

Sulfur: Casein, distribution (KASSELL and BRAND) 435
Edestin, distribution (KASSELL and BRAND) 435
Lactalbumin, distribution (KASSELL and BRAND) 435
Papain, distribution (KASSELL and BRAND) 435

T

Thiamine: Body fat, effect (MCHENRY and GAVIN) 653
Thyroid: Thyroxine microdetermination, new-born (PALMER, LELAND, and GUTMAN) 615
Thyroxine: Thyroid, new-born, microdetermination (PALMER, LELAND, and GUTMAN) 615
Triacetyl-*d*-galacturonide: Cholesterol, methyl ester, synthesis (SELL and LINK) 235
Ergosterol, methyl ester, synthesis (SELL and LINK) 235
Sitosterol, methyl ester, synthesis (SELL and LINK) 235
Trimethyl *l*-galactonic acid: 3,4,5-, preparation (TIPSON) 341
Tryptophane: Casein, determination (SULLIVAN, MILONE, and EVERITT) 471
Tubercle bacillus: Human, phosphatide (ANDERSON, LOTHROP, and CREIGHTON) 299

U

Urease: Molecular weight (SUMNER, GRALÉN, and ERIKSSON-QUENSEL) 37
Uricase: Dogs (KLEMPERER, TRIMBLE, and HASTINGS) 445
Urine: Pyridine-like substances, determination (VILTER, SPIES, and MATHEWS) 85
Uronic acid(s): Hexoses, conversion (LEVENE and TIPSON) 345, 355
(LEVENE, MEYER, and KUNA) 703
Ursolic acid: Esters, synthesis (SELL and KREMERS) 451

V

Veratrine: Alkaloids (JACOBS and CRAIG) 625
Vitamin(s): A, cod liver oil, nature (TISCHER) 475
Antihemorrhagic, properties (KLOSE, ALMQUIST, and MECCHI) 681
B, fat metabolism and (MCHENRY and GAVIN) 653
B_1. *See also* Thiamine
B_2. *See also* Riboflavin
K, properties (KLOSE, ALMQUIST, and MECCHI) 681

W

Wheat: Straw, lignin (PHILLIPS and GOSS) 241

Y

Yeast: Dietary, liver total fatty acid and cholesterol, nephrectomy, effect (HORTENSTINE, CHANUTIN, and LUDEWIG) 455
Pyruvic acid utilization (SMYTHE) 635